



PROPEL ADVANCED PRO 2

FOR THE BELL LAP OF A CRITERIUM. OR A SPRINT DISTANCE TRIATHLON. FOR THE ATTACK, THE CHASE, THE THRILL OF SPEED.



SPECIFICATIONS

FRAME	
SIZES	S, M, M/L, L
COLOURS	Carbon/Grey
FRAME	Advanced-Grade Composite, Electronic Ready
FORK	Advanced-Grade Composite, Full-Composite OverDrive 2 Steerer
SHOCK	N/A
COMPONENTS	
HANDLEBAR	Giant Contact SL
STEM	Giant Contact SL
SEATPOST	Giant Vector Composite
SADDLE	Giant Contact SL Forward
PEDALS	N/A
DRIVETRAIN	
SHIFTERS	Shimano 105 22 speed
FRONT DERAILLEUR	Shimano 105
REAR DERAILLEUR	Shimano 105
BRAKES	Giant SpeedControl SL
BRAKE LEVERS	Shimano 105
CASSETTE	Shimano 105 11x28
CHAIN	KMC X11EL-1
CRANKSET	Shimano 105 36/52
BOTTOM BRACKET	Shimano BB-RS500 press fit
WHEELS	
RIMS	Giant SLR 1 Aero WheelSystem
HUBS	Giant SLR 1 Aero WheelSystem
SPOKES	Giant SLR 1 Aero WheelSystem
TYRES	Giant Gavia SL Tubeless, 700x25mm, Folding
OTHER	
EXTRAS	RideSense Bluetooth/ANT+, tubeless sealant

FRAME DESIGN

Every aspect of this frame is engineered as a complete system to deliver unbeatable aero road performance. Extensive CFD analysis and dynamic wind tunnel testing was used to optimise every frame tube and angle in a process called AeroSystem Shaping technology. The frame is then handcrafted using Advanced-grade composite material to produce a bike that's both stiff and light, with a sharp responsive ride quality. Purpose built aero road technologies including SpeedControl SL brakes and a Vector seatpost further enhance this well-rounded, wind-slicing performer.



FEATURES

Frame: Advanced-Grade Composite, Electronic Ready
 Fork: Advanced-Grade Composite, Full-Composite OverDrive 2 Steerer
 Drivetrain: Shimano 105 22 speed
 Brakes: Giant SpeedControl SL
 Wheels: Giant SLR 1 Aero WheelSystem

FRAME GEOMETRY

SIZE	HEAD ANGLE	SEAT ANGLE*	TOPTUBE**	HEADTUBE	CHAIN-STAY	WHEEL-BASE	STANDOVER HEIGHT***	STACK	REACH
cm	Degrees	Degrees	cm	cm	cm	cm	cm	cm	cm
S/50.0	72.0	73.5	53.5	13.5	40.5	97.4	76.7	53.4	37.7
M/52.0	73.0	73.0	55.5	15.0	40.5	98.0	79.0	55.3	38.6
ML/54.5	73.0	72.5	57.0	17.0	40.5	99.1	81.3	56.6	39.1
L/57.5	73.0	72.5	58.5	18.5	40.5	100.6	83.6	58.1	40.2

Specifications and availability subject to change without notice.

*Seat angle is actual
 **Tuptube is measured from the centre of the headtube horizontally back to the top of the effective extension of the seattube
 ***Standover height is based on the largest size tyre that will fit the bike, not necessarily the included size tyre